U.S. Fish & Wildlife Service

Edwin B. Forsythe

National Wildlife Refuge

Birds







This goose, designed by J.N. "Ding" Darling, has become a symbol of the National Wildlife Refuge System.

Edwin B. Forsythe National Wildlife Refuge is one of more than 555 refuges in the National Wildlife Refuge System, which is administered by the U.S. Fish and Wildlife Service. The National Wildlife Refuge System is a network of lands and waters managed specifically for the protection of wildlife and wildlife habitat and represents the most comprehensive wildlife resource management program in the world. Units of the system stretch across the United States from northern Alaska to the Florida Keys, and include small islands in the Caribbean and South Pacific. The character of the refuges is as diverse as the nation itself.

This refuge contains more than 47,000 acres of southern New Jersey, spanning 50 miles from Oceanville to Brick Township. About 80% of the refuge is tidal salt marsh. Along the wildlife drive are man-made freshwater ponds called impoundments. Upland woods, swamps, grassland, and brushy thickets complete the diversity of habitat which attracts a wide variety of birds. Spring and fall are great times to view migrant songbirds and shorebirds. In fall, huge flocks of ducks and snow geese arrive, and Forsythe holds the largest concentrations of wintering American Black Duck and Brant on the Atlantic coast. A description of refuge wildlife viewing sites is available in the refuge's general brochure.



Dunlin and Semipalmated Sandpipers

This brochure lists 359 species that have been observed on the refuge. Names and order of the listing are in accordance with the Seventh American Ornithologists' Union Checklist, through the 53rd supplement.

Season

Most birds are migratory, therefore, their seasonal occurrence is coded as follows:

Sp Spring March – May S Summer June – August

F Fall September – November W Winter December – February

Status

• has nested on the refuge

Italics indicate federally threatened or endangered species

- (A) Found primarily or exclusively on Atlantic coastal portion of refuge or offshore; unusual or absent along Wildlife Drive
- (EX) Extirpated; formerly occurred on the refuge but no longer does

Relative Abundance

Codes indicate how frequently you might see a bird in its favored habitat and appropriate season.

a abundant very numerous in suitable habitat c common likely to be seen or heard in suitable

habitat

u uncommon usually present in suitable habitat, but not

certain to be seen

o occasional seen in suitable habitat only a few times

during the season

r rare may be present in very small numbers; not

necessarily every year

x accidental very few records; not seen in most years

| | Sp | Su | F | W |
|------------------------------|----|----|---|---|
| Swans – Geese – Ducks | | | | |
| Black-bellied Whistling-Duck | X | X | | |
| Fulvous Whistling-Duck | | X | X | X |
| Greater White-fronted Goose | | | X | X |
| Snow Goose | c | r | a | a |
| Ross's Goose | X | | r | r |
| Brant | a | r | a | a |
| Cackling Goose | | | X | X |
| • Canada Goose | c | c | c | c |
| • Mute Swan | c | c | c | c |
| Tundra Swan | О | | u | o |
| • Wood Duck | u | u | u | r |
| • Gadwall | c | u | c | u |
| Eurasian Wigeon | | | r | r |
| American Wigeon | c | r | c | u |
| American Black Duck | a | c | a | a |
| • Mallard | c | u | c | c |
| • Blue-winged Teal | c | 0 | u | r |
| Cinnamon Teal | | X | | |
| Northern Shoveler | c | 0 | c | c |
| Northern Pintail | c | 0 | a | u |
| Garganey | | X | | |
| Green-winged Teal | c | 0 | a | c |
| Canvasback | r | | 0 | r |
| Redhead | r | | 0 | r |
| Ring-necked Duck | u | | u | u |
| Greater Scaup | u | | c | c |
| Lesser Scaup | u | | u | u |
| King Eider (A) | | | X | X |
| Common Eider (A) | | | r | r |
| Harlequin Duck (A) | 0 | r | u | u |
| Surf Scoter (A) | u | r | u | u |
| White-winged Scoter (A) | o | | 0 | o |
| Black Scoter (A) | u | r | u | u |
| Long-tailed Duck (A) | u | | u | u |
| Bufflehead | c | | c | c |
| Common Goldeneye | 0 | | u | u |
| - Hooded Merganser | c | r | c | c |
| Common Merganser | | | r | r |
| Red-breasted Merganser | u | r | c | c |
| • Ruddy Duck | u | u | u | u |
| | | | | |

| | Sp | Su | F | w |
|-------------------------------------|----|----|---|---|
| Quail – Grouse – Turkey | | | | |
| Northern Bobwhite | 0 | 0 | 0 | 0 |
| Ring-necked Pheasant (EX) | r | r | r | r |
| • Ruffed Grouse (EX) | r | r | r | r |
| • Wild Turkey | u | u | u | u |
| Loons – Grebes | | | | |
| Red-throated Loon (A) | u | | a | c |
| Pacific Loon (A) | | | | X |
| Common Loon (A) | u | r | u | u |
| Pied-billed Grebe | u | 0 | u | u |
| Horned Grebe | u | | u | u |
| Red-necked Grebe (A) | X | | | |
| Eared Grebe | X | | X | X |
| Western Grebe (A) | | | | X |
| Shearwaters – Cormorants – Pelicans | | | | |
| Cory's Shearwater (A) | | r | | |
| Sooty Shearwater (A) | О | r | | |
| Wilson's Storm-Petrel (A) | | 0 | | |
| Frigatebird, sp. (A) | | X | | |
| Northern Gannet (A) | c | 0 | a | u |
| Double-crested Cormorant | a | c | a | u |
| Great Cormorant (A) | r | | 0 | 0 |
| American White Pelican | r | r | r | X |
| Brown Pelican (A) | 0 | u | u | r |

Northern Pintail



| | Sp | Su | F | W |
|------------------------------|----|----|---|---|
| Bitterns – Herons – Ibises | | | | |
| American Bittern | u | r | u | u |
| • Least Bittern | u | u | 0 | |
| • Great Blue Heron | c | u | c | u |
| • Great Egret | c | c | c | 0 |
| • Snowy Egret | c | c | c | r |
| • Little Blue Heron | u | u | u | r |
| • Tricolored Heron | u | u | u | r |
| Reddish Egret | | X | | |
| Cattle Egret | 0 | 0 | 0 | |
| • Green Heron | u | u | u | |
| Black-crowned Night-Heron | u | u | u | u |
| • Yellow-crowned Night-Heron | 0 | o | 0 | |
| White Ibis | r | r | r | |
| • Glossy Ibis | c | c | c | |
| White-faced Ibis | r | r | r | |
| Roseate Spoonbill | | X | X | |
| | | | | |
| Vultures | | | | |
| Black Vulture | u | 0 | u | 0 |

$Great\ Egret$



Turkey Vulture____

u

0

| | Sp | Su | F | W |
|---|----|----|---|----|
| Hawks – Eagles | | | | |
| • Osprey | c | c | c | |
| Swallow-tailed Kite | X | | | |
| White-tailed Kite | | | X | |
| Mississippi Kite | X | | | |
| Bald Eagle | u | 0 | u | u |
| • Northern Harrier | u | o | u | u |
| Sharp-shinned Hawk | o | | u | u |
| • Cooper's Hawk | u | o | u | u |
| Northern Goshawk | | | r | r |
| Red-shouldered Hawk | r | r | 0 | r |
| • Broad-winged Hawk | o | 0 | u | |
| • Red-tailed Hawk | u | 0 | c | c |
| Rough-legged Hawk | r | | 0 | u |
| Golden Eagle | r | | r | r |
| | | | | |
| Rails – Cranes | | | | |
| Yellow Rail | | X | X | X |
| • Black Rail | r | r | r | |
| • Clapper Rail | c | c | c | u |
| King Rail | r | r | r | |
| •Virginia Rail | u | u | u | 0 |
| Sora | u | u | u | |
| Purple Gallinule | r | r | r | r |
| • Common Gallinule | О | 0 | 0 | r |
| • American Coot | u | 0 | u | u |
| Sandhill Crane | X | X | | |
| Discours Constained | | | | |
| Plovers – Sandpipers Black-bellied Plover | c | u | c | u |
| American Golden-Plover | r | r | 0 | и |
| Wilson's Plover (A) | X | X | X | |
| Semipalmated Plover | c | u | c | 70 |
| • Piping Plover (A) | | | | r |
| | u | | 0 | |
| KilldeerAmerican Oystercatcher | u | u | u | 0 |
| | u | u | u | 0 |
| Black-necked Stilt American Avocet | r | X | X | |
| | X | r | r | |
| Spotted Sandpiper | u | 0 | u | |
| Solitary Sandpiper | u | u | u | |
| Spotted Redshank | | | X | |
| Greater Yellowlegs | С | С | С | u |
| | | | | |



Willet

| | Sp | Su | F | W |
|-------------------------|----|----|---|--------------|
| • Willet | c | c | u | r |
| Lesser Yellowlegs | u | c | c | r |
| Upland Sandpiper | r | r | r | |
| Whimbrel | c | 0 | u | \mathbf{X} |
| Long-billed Curlew | | | X | |
| Black-tailed Godwit | X | X | X | |
| Hudsonian Godwit | r | 0 | 0 | |
| Bar-tailed Godwit | | X | | |
| Marbled Godwit | r | r | 0 | r |
| Ruddy Turnstone | c | 0 | c | u |
| Red Knot (A) | u | u | u | r |
| Sanderling (A) | c | 0 | c | u |
| Semipalmated Sandpiper | a | a | a | |
| Western Sandpiper | 0 | u | c | O |
| Red-necked Stint | | X | | |
| Little Stint | | X | | |
| Least Sandpiper | c | c | c | r |
| White-rumped Sandpiper | u | u | u | |
| Baird's Sandpiper | | | 0 | |
| Pectoral Sandpiper | 0 | 0 | u | |
| Purple Sandpiper | r | | 0 | 0 |
| Dunlin | a | 0 | a | a |
| Curlew Sandpiper | r | r | r | |
| Stilt Sandpiper | r | u | u | |
| Buff-breasted Sandpiper | | r | 0 | |
| Ruff | r | r | r | |

| | Sp | Su | F | W |
|--|--------|----|--------|--------|
| Short-billed Dowitcher | c | a | c | r |
| Long-billed Dowitcher | r | 0 | c | r |
| Wilson's Snipe | u | r | u | 0 |
| • American Woodcock | u | 0 | u | 0 |
| Wilson's Phalarope | r | 0 | 0 | |
| Red-necked Phalarope | r | r | r | |
| Red Phalarope | X | X | X | |
| Gulls – Terns – Alcida Black-legged Kittiwake (A) Bonaparte's Gull (A) | u | | r | r |
| Black-headed Gull (A) | u X | | u x | u x |
| Little Gull (A) | Λ | | Λ | 0 |
| • Laughing Gull | a | a | c | r |
| Ring-billed Gull | c | u | c | c |
| • Herring Gull | a | c | a | a |
| Iceland Gull (A) | r | · | а | r |
| Lesser Black-backed Gull (A) | r | r | r | r |
| Glaucous Gull (A) | r | X | - | r |
| • Great Black-backed Gull | c | c | c | c |
| Sooty Tern | | | X | - |
| Bridled Tern | | | X | |
| • Least Tern | u | u | r | |
| • Gull-billed Tern | u | u | r | |
| Caspian Tern | u | u | u | |
| Black Tern | r | 0 | 0 | |
| Roseate Tern (A) | r | r | | |

Piping Plover



Don Freiday/USFWS

| | Sp | Su | F | W |
|--------------------------------------|----|-----------|--------|---|
| • Common Tern | u | c | u | |
| • Forster's Tern | c | c | c | r |
| Royal Tern (A) | 0 | 0 | u | |
| Sandwich Tern (A) | | r | r | |
| Black Skimmer | c | c | c | r |
| Pomarine Jaeger (A) | | | X | |
| Parasitic Jaeger (A) | r | | 0 | |
| Dovekie (A) | | | | X |
| Common Murre (A) | | | | X |
| Razorbill (A) | | | | r |
| Doves – Owls – Swifts – Hummingbirds | u | u | u | u |
| - Rock Pigeon • Mourning Dove | c | | | |
| • Yellow-billed Cuckoo | u | c | c | С |
| Black-billed Cuckoo | 0 | u 0 | u 0 | |
| Barn Owl | r | $^{ m c}$ | r | r |
| • Eastern Screech-Owl | u | u | u | u |
| Great Horned Owl | u | u | u | u |
| Snowy Owl | и | и | и | r |
| •Barred Owl | 0 | 0 | 0 | 0 |
| Long-eared Owl | r | U | 0 | r |
| Short-eared Owl | 0 | | 0 | 0 |
| Northern Saw-whet Owl | r | | 0 | r |
| Common Nighthawk | 0 | r | u | 1 |
| • Chuck-will's-widow | c | c | и | |
| • Eastern Whip-poor-will | u | u | 0 | |
| • Chimney Swift | u | u | u | |
| • Ruby-throated Hummingbird | u | u | u | |
| Belted Kingfisher | u | 0 | u | u |
| | u | O | u | u |
| Woodpeckers – Falcons – Flycatchers | | | | |
| Red-headed Woodpecker | 0 | r | 0 | r |
| • Red-bellied Woodpecker | c | c | c | c |
| Yellow-bellied Sapsucker | 0 | | u | r |
| • Downy Woodpecker | u | u | u | u |
| • Hairy Woodpecker | О | 0 | 0 | О |
| • Northern Flicker | u | u | c | О |
| American Kestrel | u | 0 | u | О |
| Merlin | 0 | | u | 0 |
| Gyrfalcon | X | | | X |
| | | | | |

| | Sp | Su | F | W |
|--------------------------------------|--------|--------|--------------------------|----|
| • Peregrine Falcon | u | u | u | u |
| Olive-sided Flycatcher | r | | r | |
| • Eastern Wood-Pewee | u | 0 | u | |
| Yellow-bellied Flycatcher | r | r | r | |
| Acadian Flycatcher | r | r | r | |
| Alder Flycatcher | r | r | 0 | |
| • Willow Flycatcher | 0 | r | r | |
| Least Flycatcher | 0 | | 0 | |
| Pacific-slope/Cordilleran Flycatcher | | | X | |
| • Eastern Phoebe | u | r | u | r |
| Say's Phoebe | | | X | |
| Ash-throated Flycatcher | | | X | |
| • Great Crested Flycatcher | u | u | u | |
| Western Kingbird | | | r | X |
| • Eastern Kingbird | u | u | u | |
| Gray Kingbird | | | X | |
| Scissor-tailed Flycatcher | X | | | |
| Fork-tailed Flycatcher | | | X | |
| Chailes Vinces | | | | |
| Shrikes – Vireos Northern Shrike | | | x | X |
| • White-eyed Vireo | u | u | u | Λ |
| • Yellow-throated Vireo | 0 | r | r | |
| Blue-headed Vireo | 0 | • | 0 | |
| Warbling Vireo | r | X | r | |
| Philadelphia Vireo | X | | 0 | |
| • Red-eyed Vireo | u | u | u | |
| | | | | |
| Jays – Crows – Larks – Swallows | | | | ,, |
| • Blue Jay | c | c | c | u |
| • American Crow • Fish Crow | c c | u c | c | u |
| Common Raven | r | C | $rac{	ext{c}}{	ext{r}}$ | u |
| • Horned Lark | 0 | r | u | r |
| Northern Rough-winged Swallow | | | | u |
| | u | u | u | |
| • Purple Martin | c | c | 0 | |
| • Tree Swallow | c | c | c | 0 |
| Bank Swallow | 0 | 0 | 0 | |
| • Barn Swallow | c | c | c | |
| Cliff Swallow | r | r | 0 r | |
| Cave Swallow | | | r | |

| | Sp | Su | F | W |
|---------------------------------|----|----|--------------|---|
| Titmice – Nuthatches – Wrens | | | | |
| • Carolina Chickadee | c | c | c | c |
| • Tufted Titmouse | c | c | c | c |
| Red-breasted Nuthatch | 0 | | 0 | 0 |
| • White-breasted Nuthatch | u | 0 | u | u |
| Brown Creeper | 0 | | 0 | 0 |
| • House Wren | u | u | u | r |
| Winter Wren | 0 | | u | 0 |
| • Sedge Wren | r | r | r | r |
| • Marsh Wren | c | u | c | 0 |
| - Carolina Wren | c | c | \mathbf{c} | c |
| Kinglets – Thrushes – Thrashers | | | | |
| • Blue-gray Gnatcatcher | u | 0 | u | |
| Golden-crowned Kinglet | u | | c | 0 |
| Ruby-crowned Kinglet | u | | c | 0 |
| Northern Wheatear | | | X | |
| • Eastern Bluebird | 0 | 0 | u | u |
| Mountain Bluebird | | | X | |
| Townsend's Solitaire | | | X | X |
| Veery | u | | u | |
| Gray-cheeked Thrush | 0 | | 0 | |
| Swainson's Thrush | 0 | | 0 | |
| Hermit Thrush | u | | c | u |
| • Wood Thrush | u | u | 0 | |
| • American Robin | c | c | c | c |
| • Gray Catbird | c | c | c | 0 |
| • Northern Mockingbird | c | c | c | u |
| Sage Thrasher | X | | | |
| • Brown Thrasher | u | u | u | 0 |
| Starlings – Waxwings | | | | |
| •European Starling | c | c | c | c |
| American Pipit | 0 | | u | 0 |
| Bohemian Waxwing | | | | X |
| • Cedar Waxwing | u | 0 | u | u |
| Longspurs – Snow Bunting | | | | |
| Lapland Longspur | r | | r | r |
| Snow Bunting | r | | 0 | 0 |

| | Sp | Su | F | W |
|------------------------------|----|----|---|---|
| Wood-warblers | | | | |
| • Ovenbird | u | u | u | |
| Worm-eating Warbler | r | r | 0 | |
| Louisiana Waterthrush | 0 | 0 | | |
| Northern Waterthrush | u | 0 | u | |
| Blue-winged Warbler | u | 0 | u | |
| Golden-winged Warbler | r | | r | |
| Black-and-white Warbler | u | 0 | u | |
| Prothonotary Warbler | r | | | |
| Tennessee Warbler | 0 | | 0 | |
| Orange-crowned Warbler | | | r | r |
| Nashville Warbler | 0 | | u | |
| Connecticut Warbler | | | r | |
| Mourning Warbler | r | | r | |
| Kentucky Warbler | r | r | | |
| • Common Yellowthroat | c | c | c | r |
| • Hooded Warbler | 0 | 0 | 0 | |
| American Redstart | u | 0 | c | |
| Cape May Warbler | 0 | | 0 | |
| Cerulean Warbler | r | | | |
| Northern Parula | u | 0 | u | |
| Magnolia Warbler | u | | u | |
| Bay-breasted Warbler | 0 | | 0 | |
| Blackburnian Warbler | 0 | | 0 | |
| • Yellow Warbler | c | c | u | |
| Chestnut-sided Warbler | u | | u | |
| Blackpoll Warbler | u | | u | |
| Black-throated Blue Warbler | u | | u | |
| Palm Warbler | u | | c | 0 |
| • Pine Warbler | u | u | u | r |
| Yellow-rumped Warbler | c | | c | u |
| Yellow-throated Warbler | r | r | | |
| • Prairie Warbler | u | u | u | |
| Black-throated Gray Warbler | | | X | |
| Townsend's Warbler | | | X | |
| Black-throated Green Warbler | u | | u | |
| Canada Warbler | u | | u | |
| Wilson's Warbler | 0 | | 0 | |
| • Yellow-breasted Chat | 0 | 0 | 0 | r |
| | | | | |

| | Sp | Su | F | W |
|---------------------------------------|----|----|---|---|
| Sparrows & Allies | | | | |
| • Eastern Towhee | u | u | u | 0 |
| American Tree Sparrow | | | r | r |
| Chipping Sparrow | c | c | u | r |
| Clay-colored Sparrow | | | r | |
| • Field Sparrow | u | u | u | 0 |
| Vesper Sparrow | X | | r | |
| Lark Sparrow | | | r | |
| Savannah Sparrow | c | | c | u |
| • Grasshopper Sparrow | r | r | r | |
| Nelson's Sparrow | 0 | | 0 | r |
| • Saltmarsh Sparrow | c | c | u | 0 |
| • Seaside Sparrow | c | c | u | 0 |
| Fox Sparrow | O | | u | u |
| • Song Sparrow | c | c | c | c |
| Lincoln's Sparrow | r | | r | |
| • Swamp Sparrow | c | u | c | u |
| White-throated Sparrow | c | | c | c |
| White-crowned Sparrow | r | | 0 | r |
| Dark-eyed Junco | u | | c | c |
| | | | | |
| Tanagers – Cardinals – Grosbeaks | | | | |
| Summer Tanager | r | r | | |
| • Scarlet Tanager | u | u | u | |
| Western Tanager | | | | X |
| Northern Cardinal | c | c | c | c |

Brant



| | Sp | Su | F | W |
|-------------------------|----|----|---|---|
| Rose-breasted Grosbeak | u | | u | |
| • Blue Grosbeak | u | u | 0 | |
| • Indigo Bunting | u | u | u | |
| Painted Bunting | | | | X |
| Dickcissel | | r | r | |
| Blackbirds – Finches | | | | |
| Bobolink | О | u | u | |
| • Red-winged Blackbird | a | a | a | c |
| • Eastern Meadowlark | u | О | u | u |
| Yellow-headed Blackbird | | r | r | |
| Rusty Blackbird | О | | u | 0 |
| • Common Grackle | c | c | c | u |
| • Boat-tailed Grackle | u | u | u | u |
| • Brown-headed Cowbird | c | u | c | u |
| • Orchard Oriole | u | u | r | |
| • Baltimore Oriole | u | 0 | u | |
| Purple Finch | О | | u | 0 |
| • House Finch | c | c | c | c |
| Red Crossbill | | | r | r |
| White-winged Crossbill | | | | r |
| Common Redpoll | | | r | r |
| Pine Siskin | r | | 0 | 0 |
| • American Goldfinch | c | c | c | u |
| Evening Grosbeak | r | | r | r |
| - House Sparrow | c | c | c | c |
| | | | | |



Edwin B. Forsythe National Wildlife Refuge 800 Great Creek Road Oceanville, NJ 08231 Telephone: 609/652 1665

E-mail: forsythe@fws.gov

http://www.fws.gov/northeast/forsythe/

Federal Relay Service for the deaf and hard-of-hearing 1 800/877 8339

U.S. Fish & Wildlife Service 1 800/344 WILD http://www.fws.gov

September 2012

