

Reelfoot National Wildlife Refuge is located on and around the upper portion of historic Reelfoot Lake in the extreme northwest corner of Tennessee. The Refuge was established in 1941 on lands leased from the State of Tennessee. Subsequent land purchased extended the Refuge into Kentucky, and it now consists of 10,428 acres. The Reelfoot area is a major stopover point and wintering area for waterfowl of the Mississippi Flyway.

A smaller area, Lake Isom National Wildlife Refuge, comprising 1,850 acres and lying five miles south of Reelfoot was established by Presidential proclamation in 1938. The primary objective is to provide habitat for migratory birds. Reelfoot and Lake Isom National Wildlife Refuges are administered from Refuge headquarters, 4343 Highway 157, Union City, Tennessee 38261.

The 20,000 acre Reelfoot Lake was formed by a series of severe earthquakes during the winter of 1811-12. It is situated on the Mississippi River floodplain, midway between the river to the west and the towering Chickasaw Bluff to the east.

Most privately owned wetlands and woodlands, which formerly surrounded the lake, have been drained and cleared for conversion to valuable farmland. However, the wooded bluff remains, and stands of majestic bald cypress are still present in and around the lake. The swamp forest bordering the lake is almost impenetrable, giving way to thick mats of aquatic vegetation on the lake's surface and vast stretches of head-high grasses extending into much of the shallow water. This varied habitat provides home and sanctuary for large numbers of birds – as well as numerous other wildlife species.

The Refuge and adjacent areas are of year-round interest to birders, from the casual observer to the serious ornithologist. Spring, especially during April and May, is the best period for observing transient species, with special emphasis on shorebirds and warblers. Summer is a time for viewing marsh and wading birds, and serious birders will find it rewarding to work the lake by canoe or kayak in the early morning and late evening hours.

With the arrival of fall and winter also comes the multitude of waterfowl which use Reelfoot each year; mallards, gadwall, American wigeon, and snow geese predominate. However, large concentrations of ruddy ducks and coots are also present, and virtually all species common to the Mississippi Flyway may be seen at Reelfoot during the course of the winter.

Waterfowl concentrations of up to 150,000 ducks and 50,000 geese can be observed. While parts of the Refuges are closed to public entry during the peak waterfowl use period, excellent birding opportunities are still available.

In recent years, Reelfoot Lake has attained much prominence from its wintering bald eagles. The best period for seeing these stately birds is from mid-December through mid-March.

How to use your checklist

The bird checklist was designed to be informative and simple to use. The list is arranged in the order established by the American Ornithological Union. Symbols which appear in this checklist represent the following:

Seasonal Appearance

Sp – Spring, March-May

S – Summer, June-July

F - Fall, August-November

W - Winter, December-February

Many species of shorebirds and a few species of waterfowl begin their fall migration in mid to late July and August.

Seasonal abundance

- a abundant (a common species which is very numerous)
- c common (certain to be seen in suitable habitat)
- u uncommon (present but not certain to be seen)
- o occasional (seen only a few times during a season)
- r rare (normally seen less than annually)
- *Nests or has nested on the refuge or surrounding area

This checklist includes 283 species of birds and is based on observations by Refuge personnel, area ornithologists, and visiting birders. If you should find an unlisted species or a species listed as rare or accidental, please let us know at the Refuge Headquarters. We appreciate your help in keeping our records up to date. Thank you.

SP	S	F	W	SP	S	F	W	
Species Waterfowl Snow Goose C Ross's Goose O Greater White-fronted Goose U Cookling Goose P		C U C	A U C	Pelicans and their Allies Neotropic Cormorant R Double-crested Cormorant* C Anhinga* O American White Pelican U	R U O O	R C R C	U U	
Cackling Goose R Canada Goose* C Tundra Swan Wood Duck* C Blue-winged Teal* C Northern Shoveler C Gadwall C American Wigeon C Mallard* A American Black Duck O Northern Pintail C Green-winged Teal C Canvasback U	O C O R C	R C C C C C C C C U C U	R C R U R U C U A U C U	Herons, Egrets and Bitterns American Bittern 0 Least Bittern* 0 Great Blue Heron* A Great Egret* C Snowy Egret* U Little Blue Heron* U Tricolored Heron R Cattle Egret* U Green Heron* C Black-crowned Night-Heron* O Yellow-crowned Night-Heron* U	0 C C O O R U C O O	O O A C U U R O C O U	R C R	
Redhead U Ring-necked Duck C Greater Scaup O Lesser Scaup C Surf Scoter White-winged Scoter Black Scoter		U C O C R R R	U C U C R R R	Ibis, Spoonbill White Ibis R Glossy Ibis R White-faced bis R Roseate Spoonbill R	R R R R	R R R		
Long-tailed Duck Bufflehead U Common Goldeneye U Hooded Merganser* C Common Merganser R Red-breasted Merganser O Ruddy Duck C	U R	R U U C R O C	R C U C R O C	Vultures, Hawks, Eagles Black Vulture* C Turkey Vulture C Osprey* U Golden Eagle R Mississippi Kite* U Northern Harrier C	C C C C	C C U R U C	U U R R	
Galliformes (Quail, Turkey and Allies) Northern Bobwhite* Wild Turkey* C	C U	U U	U U	Sharp-shinned Hawk U Cooper's Hawk* U Bald Eagle* U Red-shouldered Hawk* U Broad-winged Hawk* U	0 U U 0	U U U U	U U C U	
Loons and Grebes Common Loon O Pied-billed Grebe* C Horned Grebe U Red-necked Grebe	U	0 C U	O C U R	Red-tailed Hawk* C Rough-legged Hawk Gruiformes (Rails, Gallinules, Coots, Cranes) King Rail* R	C R	C R	C R	
Eared Grebe R Storks Wood Stork	R	R R	R	Virginia Rail U Sora U Purple Gallinule* R Common Gallinule* O American Coot* C Sandhill Crane	R O R	O U C	R R C R	
							_•	

SP	S	F	W	S	P	S	F	W
Shorebirds				Pigeons, Doves				
Black-necked Stilt* U	O	U			C	С	\mathbf{C}	С
American Avocet O		0			U	U	U	U
Black-bellied Plover O		0		Mourning Dove*	C	A	A	C
American Golden-Plover U		R		Ü				
Semipalmated Plover C		С		Cuckoos				
Piping Plover		R	R		C	C	U	
Killdeer* C	C	\mathbf{C}	\mathbf{C}	Black-billed Cuckoo	R	R	\mathbf{R}	
Upland Sandpiper R		O						
Hudsonian Godwit R		_		0wls	_	_		
Marbled Godwit R		R			0	0	0	0
Ruddy Turnstone R		R			U	U	U	U
Stilt Sandpiper U		U			U	U	U	U
Sanderling 0		0	ъ		C	С	С	С
Dunlin U Baird's Sandpiper R		U U	R	Long-eared Owl	^		\circ	R
	0	C	0	Short-eared Owl	0		O	O
Least Sandpiper C White-rumped Sandpiper U	0 R	R	U	Nightioro				
Buff-breasted Sandpiper Buff-breasted Sandpiper	11	0		Nightjars Common Nighthawk*	C	С	С	
Pectoral Sandpiper C		C	R		U	U	$\stackrel{ ext{C}}{ ext{R}}$	
Semipalmated Sandpiper C		C	10		R	R	R	
Western Sandpiper 0		Ö		winp-poor-win		10	10	
Short-billed Dowitcher O		Ö		Swifts, Hummingbirds				
Long-billed Dowitcher O		ŏ	R		C	С	\mathbf{C}	
American Woodcock*	O	Ŏ	O	Ruby-throated Hummingbird*	Č	Č	$\tilde{\mathrm{C}}$	
Wilson's Snipe C		U	U			Ŭ		
Wilson's Phalarope O		0	_	Kingfishers				
Red-necked Phalarope		R			U	U	U	U
Spotted Sandpiper C	R	С	R					
Solitary Sandpiper C		С		Woodpeckers				
Greater Yellowlegs C		\mathbf{C}	R		C	C	\mathbf{C}	\mathbf{C}
Willet	R	R			C	С	\mathbf{C}	C
Lesser Yellowlegs C		С	R		C		C	C
0 !! 4 !=					C	С	C	C
Gulls And Terns					U	U	U	U
Bonaparte's Gull U		U	С		C	U	С	C
Little Gull		ъ	R	Pileated Woodpecker*	C	С	С	С
Laughing Gull R Franklin's Gull R		R	R	Folgono				
Franklin's Gull R Ring-billed Gull C	0	R C	A	Falcons American Kestrel*	C	U	С	С
Herring Gull 0	U	O	U		R	U	R	$\stackrel{ ext{C}}{ ext{R}}$
Lesser Black-backed Gull		U	R		R		0	R
Least Tern* U	С	U	10	reregrine raicon			O	10
Caspian Tern O	C	Ö		Flycatchers				
Black Tern U	O	Ŭ			R		R	
Common Tern O		ŏ			C	С	c	
Forster's Tern U		U	R		R	_	R	
					C	С	U	
				Alder Flycatcher	R		\mathbf{R}	
				Willow Flycatcher	O	R	O	
					O		0	
				Eastern Phoebe*	C	С	С	U

				ı			
SP	S	F	W	SP	S	F	W
Great Crested Flycatcher* C	С	U		Gnatcatchers, Kinglets			
Vestern Kingbird R	-	R		Blue-gray Gnatcatcher*	С	U	R
Eastern Kingbird* C Scissor-tailed Flycatcher R	C R	С		Golden-crowned Kinglet C Ruby-crowned Kinglet C		C C	C
cissor-tailed Flycatcher R	K	R		Ruby-crowned Kinglet C		C	C
Chrikes				Thrushes, Bluebird, and Robin	~	~	~
Loggerhead Shrike* U	0	U	U	Eastern Bluebird* C Veery U	С	C U	С
ireos				Veery U Gray-cheeked Thrush U		U	
Thite-eyed Vireo*	С	\mathbf{C}	R	Swainson's Thrush C		$\tilde{\mathbf{C}}$	
Bell's Vireo*	$\ddot{\mathrm{R}}$	$\ddot{\mathrm{R}}$		Hermit Thrush U		Ŭ	U
ellow-throated Vireo* U	U	U		Wood Thrush*	\mathbf{C}	U	
Plue-headed Vireo O		O	R	American Robin* C	\mathbf{C}	С	C
Philadelphia Vireo O	~.	0					
Varbling Vireo* C Red-eyed Vireo* C	C	U		Mockingbirds & Thrashers	C	TT	р
Red-eyed Vireo* C	С	U		Gray Catbird* C Brown Thrasher* C	C	U C	R U
ays and Crows				Northern Mockingbird* C	C	C	C
ilue Jay* C	С	С	С	1101 MICH I MOCKING ON G			
merican Crow*	С	С	$\tilde{\mathrm{C}}$	Starling			
ish Crow* U	U	U	0	European Starling* C	С	С	A
arks				Pipits			
forned Lark*	U	С	С	American Pipit U		U	U
				•			
wallows and Martins	C	α		Waxwings	D	TT	TT
. Rough-winged Swallow* Curple Martin* C	C	C U		Cedar Waxwing U	R	U	U
ree Swallow*	0	A	R	Longspurs			
ank Swallow*	Ŭ	C	10	Lapland Longspur O		U	U
arn Swallow*	С	С	R	Smith's Longspur			R
iff Swallow* U	R	U					
nickadees & Titmice				Wood Warblers & Chat Ovenbird U		U	
arolina Chickadee*	С	С	С	Worm-eating Warbler 0	R	0	
affolia Chickatec C afted Titmouse*	C	$\overset{\circ}{\mathrm{C}}$	Č	Louisiana Waterthrush* U	U	Ŭ	
				Northern Waterthrush U		0	R
uthatches				Golden-winged Warbler U		U	
ed-breasted Nuthatch R		R	R	Blue-winged Warbler U	D	U	
hite-breasted Nuthatch* U	U	U	U	Black-and-white Warbler* C	R	C U	
eepers				Prothonotary Warbler* C Swainson's Warbler* U	C U	$\stackrel{\cup}{\mathrm{R}}$	
rown Creeper U	R	U	U	Tennessee Warbler C	U	C	
omi creeper	10	J		Orange-crowned Warbler 0		Ö	0
rens				Nashville Warbler U		Ŭ	
ouse Wren U	R	U	O	Connecticut Warbler R			
nter Wren U		U	U	Mourning Warbler R		R	
dge Wren O		0	R	Kentucky Warbler* C	U	C	D
rsh Wren O rolina Wren* C	C	O C	R C	Common Yellowthroat* C Hooded Warbler* U	C	C U	R
ronna wren.	С	U		American Redstart*	U	C	
				Cape May Warbler O	J	R	
				1			

	SP	S	F	W
Cerulean Warbler* Northern Parula* Magnolia Warbler Bay-breasted Warbler Blackburnian Warbler Yellow Warbler Chestnut-sided Warbler Blackpoll Warbler Palm Warbler Palm Warbler Yellow-rumped Warbler Yellow-throated Warbler* Prairie Warbler Black-throated Green Warbler Canada Warbler Wilson's Warbler		R U O U C R	U C C C U U C R C U C C O C U O	R O C
Sparrows, Towhees, and Chat Grasshopper Sparrow* LeConte's Sparrow American Tree Sparrow Chipping Sparrow* Field Sparrow* Lark Sparrow* Fox Sparrow Dark-eyed Junco White-crowned Sparrow Howie's Sparrow	U O O U C R U C U	U U U R	O O O U C R U C U	O O R C U C U R
Harris's Sparrow White-throated Sparrow Vesper Sparrow Savannah Sparrow Song Sparrow Lincoln's Sparrow Swamp Sparrow Spotted Towhee Eastern Towhee* Yellow-breasted Chat*	C U C C U C	R O U C	C U C C U C	C R C R C R U
Tanagers, Cardinals, Buntings and Grosbe Summer Tanager* Scarlet Tanager Northern Cardinal* Rose-breasted Grosbeak Blue Grosbeak* Indigo Bunting* Dickcissel*	aks C U C C U C	C R C U C	C U C C O C	C R

	SP	S	F	W
Blackbirds, Meadowlarks, Orioles, etc.				
Bobolink	U		R	
Western Meadowlark	O		0	O
Eastern Meadowlark*	\mathbf{C}	С	С	С
Orchard Oriole*	\mathbf{C}	С	U	
Baltimore Oriole*	U	U	O	
Red-winged Blackbird*	A	С		A
Brown-headed Cowbird*	\mathbf{C}	С	\mathbf{C}	C
Rusty Blackbird	U		U	U
Brewer's Blackbird	${ m R}$		O	O
Common Grackle*	С	С	A	A
Finches				
Evening Grosbeak	\mathbf{R}		\mathbf{R}	R
House Finch*	\mathbf{C}	U	_	C
Purple Finch	O		O	O
Pine Siskin	O		0	O
American Goldfinch*	С	С	С	С
Weaver-Finches				
House Sparrow*	С	С	С	С

These additional species are of such extremely rare or accidental occurrence that they have been recorded in the area 5 times or less:

Black-bellied Whistling Duck, Fulvous Whistling Duck, Trumpeter Swan, Eurasian Wigeon, Cinnamon Teal, Pacific Loon, Red-throated Loon, Western Grebe, Clark's Grebe, Brown Pelican, Northern Goshawk, Swainson's Hawk, Ferruginous Hawk, White-tailed Kite, Yellow Rail, Black Rail, Snowy Plover, Whimbrel, Longbilled Curlew, Curlew Sandpiper, Red Knot, Ruff, Red Phalarope, Pomarine Jaeger, Parasitic Jaeger, Long-tailed Jaeger, Long-billed Murrelet, Sabine's Gull, California Gull, Iceland Gull, Glaucous Gull, Arctic Tern, Prairie Falcon, Inca Dove, Common Ground-Dove, Say's Phoebe, Vermilion Flycatcher, Variegated Flycatcher, Cave Swallow, Bewick's Wren, Chestnut-collared Longspur, Snow Bunting, Black-throated Blue Warbler, Nelson's Sparrow, Henslow's Sparrow, Clay-colored Sparrow, Black-headed Grosbeak, Painted Bunting, Yellow-headed Blackbird, Great-tailed Grackle, Red Crossbill, and Lesser Goldfinch.

T	
Date	
Time	
Weather	
No. of species	
•	
Route or area	
Observers	
Remarks	
-	

